

LTS

"LTS" DOUBLE PLATE WEIGHING SYSTEM FOR FORKLIFTS



Double plate weighing system for forklifts with DIN15173 - FEM class III standard fixing. The whole is made of two weighing plates and a junction box. Sturdy, handy and simple to install, this system allows to weigh during load and unload operations, while using the forklift. For internal use.

Working in cooperation with:

P.R.S. TORFBUD


UL. KOPERNIKA 6 - 41500 - CHORZOW - POLAND
Tel. 0048-322413522 Fax. 0048-322413522
torfbud@wagielektroniczne.com.pl

The best solution
for advanced industrial
applications

WEIGHING PLATES: MAIN FEATURES

- Weighing plates with extra thick painted steel bearing structure.
- Load cells protection against accidental strikes.
- Extremely compact system, in order not to reduce the operator's visibility.
- S type load cells: sensitivity 2 mV/V, maximum power supply 15Vdc.
- Single plate dimensions: 270x280x640mm.
- Total weight of the 2 plates: 100kg approximately.
- Maximum forks length: 1,30m.
- Hermetic junction box.
- Standard cable fitted with connectors for rapid linkage.
- 5m optional extensible cable to connect the indicator to the cab.
- Maximum opening of the plates: 500mm approximately.
- Precision: +/- 0.1% of the capacity.
- Maximum horizontal declivity (tilt): +/- 2° with the same precision features.
- Maximum overload allowed: 300%.
- Integrated protection system against overloads and accidental strikes.
- Wide range of connectable indicators and wireless solutions.

DETAIL 1



DETAIL 2



DETAIL 3



DETAIL 4

VERSIONS

Versioni disponibili

Codice	Piastra	Max (kg)	d (kg)
LTS40	FEM III	2500/4000	2/5



www.diniargeo.com



DINI AR GEO
FRANCE sarl
Nogent-sur-Marne

DINI AR GEO
GMBH
Sinsheim - Germany

DINI AR GEO
UK Ltd
Taunton - United Kingdom

DINI AR GEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI AR GEO
WEIGHBRIDGES
Calto (RO) - Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



P.R.S. TORFBUD

UL.KOPERNIKA 6 - 41500 - CHORZOW - POLAND

Tel. 0048-322413522 Fax. 0048-322413522

torfbud@wagielektroniczne.com.pl

SALES AND TECHNICAL ASSISTANCE SERVICE